according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

SECTION 1. IDENTIFICATION

Product name : AVID 1.9% EC

Design code : A8612A

Product Registration number : 24485

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park

Guelph ON N1G 4Z3

Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address

Emergency telephone num: 1-800-327-8633 (FAST MED)

ber

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 3

Eye irritation : Category 2A

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity : Category 3 (Respiratory system)

- single exposure

Specific target organ toxicity : Category 1 (Nervous system)

- repeated exposure

GHS label elements

Hazard pictograms :





according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Signal word : Danger

Hazard statements : H227 Combustible liquid.

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs (Nervous system) through

prolonged or repeated exposure.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P362 + P364 Take off contaminated clothing and wash it before

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
N-methyl-2-pyrrolidone	N-methyl-2- pyrrolidone	872-50-4	>= 10 - < 30 *
hexan-1-ol	hexan-1-ol	111-27-3	>= 10 - < 30 *
distillates (petroleum), solvent-refined light paraffinic	distillates (petro- leum), solvent- refined light paraffinic	64741-89-5	>= 5 - < 10 *
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	1.875
2,6-di-tert-butyl-p- cresol	2,6-di-tert-butyl- p-cresol	128-37-0	>= 1 - < 5 *
fumaric acid	fumaric acid	110-17-8	>= 0.1 - < 1 *

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Most important symptoms and effects, both acute and

delayed

Lack of coordination

Tremors

Dilatation of the pupil Toxic if swallowed.

May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician : This material is believed to enhance GABA activity in animals.

It is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiaziphines, valproic acid) in patients with

potentially toxic mectin exposure.

Toxicity can be minimized by early administration of chemical

absorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance

should be gauged.

Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive

measures as indicated by clinical signs, symptoms and meas-

urements.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Flash back possible over considerable distance.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

according to the Hazardous Products Regulations



AVID 1.9% EC

Version **Revision Date:** SDS Number: Date of last issue: 06/01/2022 03/24/2025 S00046052733 Date of first issue: 06/01/2022 1.1

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Keep people away from and upwind of spill/leak.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Remove all sources of ignition. Pay attention to flashback.

Prevent further leakage or spillage if safe to do so. **Environmental precautions**

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Use only in an area containing flame proof equipment. Take precautionary measures against static discharges.

For personal protection see section 8.

Keep containers tightly closed in a dry, cool and well-Conditions for safe storage

ventilated place.

Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers.

Keep away from food, drink and animal feedingstuffs.

No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	TWA	400 mg/m3	CA ON OEL
distillates (petroleum), solvent- refined light paraffinic	64741-89-5	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	0.2 mg/m3	CA BC OEL
		TWAEV (Mist	5 mg/m3	CA QC OEL

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

		- Inhalable dust)		
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	0.02 mg/m3	Syngenta
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m3	CA AB OEL
		TWA (Vapour and inhalable aerosols)	2 mg/m3	CA BC OEL
		TWAEV (in- halable frac- tion and va- pour)	2 mg/m3	CA QC OEL
		TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sam-	Permissible	Basis
		parameters	specimen	pling	concentra-	
		, , , , , , , , , , , , , , , , , , , ,		time	tion	
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice

Personal protective equipment

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Tightly fitting safety goggles

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow to red brown

Odour : sweetish

Odour Threshold : No data available

pH : 2.6 - 3.6 (20 - 25 °C)

Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 71 °C

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.96 g/cm3 (20 - 25 °C)

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 265 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 19.0 mPa,s (20 °C)

11.4 mPa,s (40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 37.1 mN/m, 2 g/l, 20 °C

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Incompatible materials

Hazardous decomposition

products

None known.

No hazardous decomposition products are known.

. No hazardous accomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Toxic if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, male and female): 288 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 7.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

N-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): 8,000 mg/kg

hexan-1-ol:

Acute oral toxicity : LD50 Oral (Rat): > 300 - 2,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 1,000 - 2,000 mg/kg

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat, male): 8.7 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 0.034 mg/l

Exposure time: 4 h

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 200 - 300 mg/kg

Assessment: The component/mixture is toxic after single con-

tact with skin.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Components:

N-methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritating to skin.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit Result : Eye irritation

Remarks : Based on data from similar materials

Components:

N-methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

hexan-1-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No eye irritation

fumaric acid:

Result : Eye irritation

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Test Type : Maximisation Test

Species : Guinea pig

Result : May cause sensitisation by skin contact.

Components:

N-methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Not a skin sensitizer.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

N-methyl-2-pyrrolidone:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

fumaric acid:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

N-methyl-2-pyrrolidone:

Carcinogenicity - Assess-

: No evidence of carcinogenicity in animal studies.

ment

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

fumaric acid:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

May damage fertility or the unborn child.

Components:

N-methyl-2-pyrrolidone:

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

fumaric acid:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT - single exposure

May cause respiratory irritation.

Components:

N-methyl-2-pyrrolidone:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT - repeated exposure

Causes damage to organs (Nervous system) through prolonged or repeated exposure.

Components:

N-methyl-2-pyrrolidone:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Aspiration toxicity

Not classified due to lack of data.

Components:

distillates (petroleum), solvent-refined light paraffinic:

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.029 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

82 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 82

mg/l

End point: Growth rate Exposure time: 72 h

Components:

N-methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12.5 mg/l

Exposure time: 21 d

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0027 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 0.00012 mg/l

Exposure time: 48 h

according to the Hazardous Products Regulations



AVID 1.9% EC

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 1.1 03/24/2025 S00046052733 Date of first issue: 06/01/2022

EC50 (Americamysis): 0.000022 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Freshwater diatom)): > 1 mg/l

Exposure time: 96 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.71 mg/l

End point: Growth rate Exposure time: 96 h

EC10 (Skeletonema costatum (marine diatom)): 0.095 mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.11 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00052 mg/l

Exposure time: 72 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0032 μg/l

Exposure time: 21 d

NOEC (Americamysis): 0.0022 µg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l

Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.4 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Orange-red killifish)): 0.053 mg/l

Exposure time: 42 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.023 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50 (Bacteria): > 10,000 mg/l

Exposure time: 3 h

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

fumaric acid:

Toxicity to microorganisms : EC10 (Pseudomonas putida): 23.2 mg/l

Exposure time: 16 h

EC50 (activated sludge): > 300 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

N-methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 96.5 d

Remarks: Product is not persistent.

2,6-di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

N-methyl-2-pyrrolidone:

Partition coefficient: n-

octanol/water

: log Pow: -0.46 (25 °C)

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 69

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.4

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

Remarks: immobile

Stability in soil : Dissipation time: 2.1 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

Other adverse effects

Components:

N-methyl-2-pyrrolidone:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

hexan-1-ol:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Results of PBT and vPvB

assessment

: Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

fumaric acid:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incinera-

tion.

It must undergo special treatment, e.g. at suitable disposal

site, to comply with local regulations.

Contaminated packaging : Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.

(ABAMECTIN)

Class : 6.1
Packing group : III
Labels : 6.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 2902

Proper shipping name : Pesticide, liquid, toxic, n.o.s.

(ABAMECTIN)

according to the Hazardous Products Regulations



AVID 1.9% EC

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 1.1 03/24/2025 S00046052733 Date of first issue: 06/01/2022

Class : 6.1
Packing group : III
Labels : Toxic
Packing instruction (cargo : 663

aircraft)

Packing instruction (passen: 655

ger aircraft)

IMDG-Code

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.

(ABAMECTIN)

Class : 6.1
Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.

(ABAMECTIN)

Class : 6.1
Packing group : III
Labels : 6.1
ERG Code : 151

Marine pollutant : yes(ABAMECTIN)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Warning

Skull and crossbones

poison

NPRI Components : N-methyl-2-pyrrolidone

2,6-di-tert-butyl-p-cresol

ethanol

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

n-hexane methanol

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

abamectin (combination of avermectin B1a and avermectin

B1b) (ISO)

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safe-

tv. Schedule 1. Part 1: Permissible exposure values for air-

borne contaminants

Syngenta : Syngenta Occupational Exposure Limit

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -

according to the Hazardous Products Regulations



AVID 1.9% EC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/01/2022

 1.1
 03/24/2025
 S00046052733
 Date of first issue: 06/01/2022

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 03/24/2025 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N