

Syngenta Canada Inc.
140 Research Lane, Research Park
Guelph, ON N1G 4Z3

**In Case of Emergency, Call
1-800-327-8633 (FAST MED)**

Date of MSDS Preparation (Y/M/D): 2017-12-31

Supersedes date (Y/M/D): 2014-12-31

MSDS prepared by:
Department of Regulatory & Biological Assessment
Syngenta Canada Inc.

For further information contact:
1-87-SYNGENTA (1-877-964-3682)

SECTION – 1: PRODUCT IDENTIFICATION

Product Identifier: BROADBAND® Herbicide

Formulation No.: A15351A

Registration Number: 29138 (Pest Control Products Act)

Chemical Class: Herbicidal Blend.

Active Ingredient (%): Pinoxaden Technical (9.0%)

CAS No.: 243973-20-8

Chemical Name: 8-(2,6-diethyl-4-methylphenyl)-1,2,4,5-tetrahydro-7-oxo-7H-pyrazolo[1,2-d][1,4,5]oxadiazepin-9-yl 2,2-dimethylpropanoate

Active Ingredient (%): Florasulam Technical (0.75%)

CAS No.: 145701-23-1

Chemical Name: N-(2,6-difluorophenyl)-8-fluoro-5-methoxy[1,2,4]triazolo[1,5-c]pyrimidine-2-sulfonamide

Product Use: A herbicidal blend for the control of weeds in registered crops. Please refer to product label for further details.

SECTION – 2 : COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	WHMIS†
Petroleum Solvent	Not Established	Not Established	100 mg/m ³ (15 ppm) TWA*	No	Not Established
Cloquintocet-Mexyl (2.25%)	Not Established	Not Established	10 mg/m ³ TWA ***	No	Not Established
Tetrahydrofurfuryl Alcohol (THFA)	Not Established	Not Established	0.5 ppm (TWA) ****	No	Yes
Pinoxaden Technical	Not Established	Not Established	< 0.1 mg/m ³ TWA***	No	Not Established
Florasulam Technical	Not Established	Not Established	Not Established	No	Not Established

* Recommended by Manufacturer

*** Syngenta Occupational Exposure Limit (OEL)

**** Recommended by AIHA (American Industrial Hygiene Association)

† Material listed in Ingredient Disclosure List under Hazardous Products Act.

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
Syngenta Hazard Category: C, S.

SECTION – 3: HAZARDS IDENTIFICATION

Symptoms of Acute Exposure

Irritating to eyes. Vapours may cause drowsiness and dizziness.

Hazardous Decomposition Products

Can decompose at high temperatures and form toxic gases.

Physical Properties

Appearance: Light golden liquid.

Odour: Aromatic

Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapours that form explosive mixtures at temperatures at, or above, the flash point. Heavy vapours can flow along surfaces to distant ignition sources and flash back. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Potential Health Effects

Relevant routes of exposure: Skin, eyes, mouth, lungs.

SECTION – 4: FIRST AID MEASURES

IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital. Have the product container, label or Material Safety Data Sheet with you when calling Syngenta, a poison control center or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [**1-800-327-8633 (1-800-FASTMED)**], for further information.

EYE CONTACT:	Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta, a poison control center or doctor for treatment advice. Obtain medical attention immediately if irritation persists.
SKIN CONTACT:	Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with plenty of water for 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.
INHALATION:	Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.
INGESTION:	If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Do not induce vomiting unless directed by a physician or a poison control center. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Call Syngenta, a poison control centre or doctor for treatment advice.

NOTES TO PHYSICIAN:

There is no specific antidote if this product is ingested. Treat symptomatically. Contains petroleum distillate - vomiting may cause aspiration pneumonia.

MEDICAL CONDITIONS KNOWN TO BE AGGRAVATED:

None known.

SECTION – 5: FIRE FIGHTING MEASURES

Flash point and method: 77 °C (Pensky-Martens CC)

Upper and lower flammable (explosive) limits in air: Not applicable.

Auto-ignition temperature: 295 °C.

Flammability: Combustible liquid.

Hazardous combustion products: Combustible liquid. Can release vapours that form explosive mixtures at temperatures at, or above, the flash point. Heavy vapours can flow along surfaces to distant ignition sources and flash back. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Conditions under which flammability could occur: Keep fire exposed containers cool by spraying with water.

Extinguishing media: Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist, (avoid use of water jet). Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

Sensitivity to explosion by mechanical impact: None known.

Sensitivity to explosion by static discharge: None known.

SECTION – 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. A small spill can be handled routinely. Use adequate ventilation and wear equipment and clothing as described in Section 8 and/or the product label.

Procedures for dealing with release or spill: Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Scoop or sweep up material, keeping dust to a minimum, and place into a disposable container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory authority.

SECTION – 7: HANDLING AND STORAGE

Handling practices: KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

Appropriate storage practices/requirements: Store in original container only in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

National Fire Code classification: Class IIIA (Combustible liquid).

SECTION – 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Applicable control measures, including engineering controls: If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels to a minimum. Warehouses, production area, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

CONSULT THE PRODUCT LABEL FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS.

Personal protective equipment for each exposure route:

General: Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

INGESTION: Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

EYES: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

SKIN: Where contact is likely, wear chemical-resistant gloves (such as nitrile or butyl), coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

INHALATION: A combination gas/vapour/particulate respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH certified respirator with a combination acid gas/organic vapour cartridge or canister and any N, P or R prefilter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

SECTION – 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light golden liquid.

Formulation Type: Emulsifiable concentrate.

Odour: Aromatic.

pH: 4-6 (1% aqueous solution @ 25 °C).

Vapour pressure and reference temperature:	Pinoxaden Technical:	3.5 x 10 ⁻⁹ mmHg @ 25 °C.
	Florasulam Technical:	7.5 x 10 ⁻⁸ mmHg @ 20 °C.

Vapour density: Not applicable.

Boiling point: Not Available.

Melting point: Not Available.

Freezing point: approx. -40°C

Specific gravity or density: 1.03 g/cm³ @20°C

Evaporation Rate: Not available.

Water/oil partition coefficient: Not available.

Odour threshold: Not available.

Viscosity: 10 cps (or mPas) @ 20°C

Solubility in Water:	Pinoxaden Technical:	200 mg/L @ 25 °C.
	Florasulam Technical:	6 mg/L @ 20°C at pH 7.

SECTION – 10: STABILITY AND REACTIVITY

Chemical stability: Stable under normal use and storage conditions.

Conditions to avoid: Open flames or sparks. Can release vapours that form explosive mixtures at temperatures at or above the flash point. Heavy vapours can flow along surfaces to distant ignition sources and flash back. Keep fire exposed containers cool by spraying with water.

Incompatibility with other materials: None known.

Hazardous decomposition products: Can decompose at high temperatures and form toxic gases.

Hazardous polymerization: Will not occur.

SECTION – 11: TOXICOLOGICAL INFORMATION

Acute toxicity/Irritation Studies (Finished Product):

Ingestion:	<u>Low Acute Toxicity</u>	
	Oral (LD50 Female Rat):	3,129 mg/kg body weight
Dermal:	<u>Low Acute Toxicity</u>	
	Dermal (LD50 Rat):	> 5,050 mg/kg body weight
Inhalation:	<u>Low Acute Toxicity</u>	
	Inhalation (LC50 Rat):	> 2.61 mg/L air - 4 hours
Eye Contact:	<u>Moderately Irritating (Rabbit)</u>	

Skin Contact: Slightly Irritating (Rabbit)

Skin Sensitization: Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Pinoxaden Technical:

Teratogenicity: Not teratogenic in rats or rabbits.

Reproduction: No reproductive effects observed.

Florasulam Technical:

Teratology (Birth Defects): Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects to the mother.

Reproductive Effects: Did not interfere with reproduction in laboratory animal studies.

Mutagenicity: In-vitro and animal genetic toxicity studies were negative.

Chronic/Subchronic Toxicity Studies

Pinoxaden Technical:

Subchronic: Predominantly kidney and liver effects at high doses.

Chronic: Predominantly kidney and liver effects at high doses.

Neurotoxicity: No neurotoxic effects (acute or subchronic).

Florasulam Technical:

Not Available.

Carcinogenicity

Pinoxaden Technical:

No compound-related tumours in rats or mice.

Florasulam Technical:

Did not cause cancer in laboratory animals.

Other Toxicity Information:

None.

Toxicity of Other Components

Petroleum Solvent:

Inhalation of vapours at high concentrations can cause central nervous system (CNS) effects (e.g. dizziness, headache, etc.), irritation to eyes or respiratory tract.

Cloquintocet-Mexyl:

May cause mild eye and skin irritation. Harmful if inhaled. Allergic skin reactions are possible.

Tetrahydrofurfuryl Alcohol (THFA):

Inhalation of vapours at high concentrations can cause central nervous system effects (dizziness, headache), irritation to eyes or respiratory tract. Chronic overexposure may affect the kidney.

Other materials that show synergistic toxic effects together with the product: None known.

Target Organs

Active Ingredient

Pinoxaden Technical:

Kidney.

Florasulam Technical:

Kidney, liver.

Inert Ingredients

Cloquintocet-Mexyl:

Eye, lung, liver, kidney.

Petroleum Solvent:

Respiratory tract, stomach, liver, thyroid, urinary bladder, CNS, skin.

Tetrahydrofurfuryl Alcohol (THFA):

CNS, kidney.

SECTION – 12: ECOLOGICAL INFORMATION

Summary of Effects

BROADBAND is an herbicide that is applied as a spray for broad-spectrum control of grasses in spring wheat and barley. The active ingredients, pinoxaden and florasulam, are potentially harmful to aquatic life.

Ecotoxicity Effects:

Pinoxaden Technical:

Green Algae 5-day EC ₅₀	41 ppm
Invertebrate (Water Flea) 48-hour EC ₅₀	52 ppm
Fish (Rainbow Trout) 96-hour LC ₅₀	10.3 ppm
Birds (Bobwhite Quail) 8-day Dietary LC ₅₀	> 5,970 ppm

Florasulam Technical:

Green Algae 96-hr EC ₅₀	Not available
Invertebrate (Water Flea) EC ₅₀	> 292 ppm
Fish (Rainbow Trout) 96-hour LC ₅₀	> 100 ppm
Bird (Mallard Duck) 8-day Dietary LC ₅₀	> 5,000 ppm

Environmental Fate

Both Pinoxaden and Florasulam have low bioaccumulation potentials, low mobility, and low persistence in soil and water.

SECTION – 13: DISPOSAL CONSIDERATIONS

Waste disposal information: Do not reuse empty containers unless they are specifically designed to be re-filled. Empty container retains product residue. Dispose of empty containers in accordance with local regulations. Consult provincial environment ministry for advice on waste disposal. Industrial/commercial waste may be handled at licensed facilities only. Waste shipments must be securely packaged and properly labelled. Only licensed carriers may be used, and proper documents must accompany the shipment.

SECTION – 14 : TRANSPORT INFORMATION

Shipping information such as shipping classification:

TRANSPORTATION OF DANGEROUS GOODS CLASSIFICATION - ROAD/RAIL
Not Regulated.

SECTION – 15: REGULATORY INFORMATION

WHMIS classification for product: Exempt

A statement that the MSDS has been prepared to meet WHMIS requirements, except for use of the 16 headings.

This MSDS has been prepared in accordance with WHMIS requirements, but the data are presented under 16 headings.

Pest Control Products (PCP) Act Registration No.: 29138

SECTION – 16: OTHER INFORMATION

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This Material Safety Data Sheet is valid for three years. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant MSDS.

Hazardous properties of all ingredients have been considered in the preparation of this MSDS. Read the entire MSDS for the complete hazard evaluation of this product.

Prepared by: Syngenta Canada Inc.
1-87S-YNGENTA (1-877-964-3682)

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

BROADBAND® is a trademark of a Syngenta Group Company.