




syngenta®

TAKE CONTROL OF CORN ROOTWORM


MANAGEMENT
RECOMMENDATIONS

CORN ROOTWORM MANAGEMENT RECOMMENDATIONS

I HAVE LOW CRW PRESSURE



I HAVE HIGH CRW PRESSURE



Monitoring corn fields for corn rootworm (CRW) beetles can help determine CRW pressure in the subsequent year. Gauge next year's CRW larval threat based on this year's beetle numbers. If scouting reveals 1-1 ½ beetles per plant, CRW larval feeding activity may be high the following year.

If you experienced low larval feeding damage, low adult beetle population, and no rootworm-caused corn lodging issues in the prior year and:

- **Will plant continuous corn:** consider a single CRW trait, multiple CRW traits, or a non-CRW traited hybrid with Force® 3G soil insecticide.
- **Will plant first year corn in areas with western CRW or northern CRW variant:** consider a single CRW trait, multiple CRW traits, or a non-CRW traited hybrid with Force 3G.
- **Will plant first year corn in areas without western CRW or northern CRW variant:** consider a non-CRW traited hybrid with or without Force 3G.

CROP ROTATION

- Rotate to a non-host crop such as soybeans, which provides the best opportunity to break the reproductive cycle of CRW.
- If you are concerned with the potential for the western CRW variant that may lay eggs in soybean fields, make sure to monitor soybeans for beetles and take action in next year's corn crop based upon beetle observations in previous year's soybeans. Alternatively, consider treating adult beetles in the soybean crop itself. When planting corn following soybeans in areas with western CRW variant consider a single CRW trait, multiple CRW traits, and/or Force 3G.
- If you are concerned with the potential for the northern CRW variant, rotate to multiple years of non-host crop or monitor/take action to treat CRW as needed. When planting corn in a corn-soybean rotation in areas with northern CRW variant consider a single CRW trait, multiple CRW traits, and/or Force 3G.

CROP ROTATION



- Agrisure Duracade 5122 and Agrisure Duracade 5222 trait stacks combine a unique mode of action for CRW control with a second, proven mode of action against CRW. Both trait stacks also provide a five percent integrated E-Z Refuge®.



- Agrisure 3122 is a trait stack with two CRW traits for excellent control and a simple, in-bag E-Z Refuge seed blend for convenience.
- Note that it is important to understand the traits that are in your field. While there are different options available on the market for traited corn, some of these corn varieties might contain the same traits, thereby contributing to your CRW resistance. To help determine the best options in your fields, discuss with your trait provider.



- Force 3G, when used in combination with hybrids that contain single or multiple CRW trait combinations, drives yield.
- Secondary insects or other agronomic reasons may influence decision to use soil insecticide.

UNTRAITED CORN

- In cases where you are not satisfied with the traited control of CRW, consider rotating trait packages and growing corn with no CRW trait in your field.
- In this scenario, use of insecticides will be required for effective CRW control.



Corn rootworm - It's all about management

- Long-term corn rootworm (CRW) management will require a **multi-year, whole-farm approach**
- **There's an important balance** between CRW control, yield protection and resistance management
- **It's not one-size-fits all:** Effective CRW management will require the integration of multiple control measures, not a singular technology

Align with the industry leader in corn insect control

- Our portfolio of traits, seed treatments and insecticides successfully controls **more insects than any other company**
- We know how to develop tailored solutions that **manage CRW, preserve technology and help farmers grow more corn**
- Our breakthrough Agrisure® traits, available in **high-performing genetics**, offer best-in-class insect control to protect quality and yield



If you require more information, please contact your Syngenta representative to discuss a plan for managing corn rootworm in your operation.



Always read and follow label and bag tag instructions. Agrisure®, Agrisure Duracade®, Agrisure Viptera®, Force®, the Alliance Frame, the Purpose Icon and the Syngenta logo are trademarks of a Syngenta Group Company. HERCULEX® and the HERCULEX Shield are trademarks of Dow AgroSciences LLC. HERCULEX Insect Protection technology by Dow AgroSciences. Liberty®, Liberty Link®, and the Water Droplet logos are registered trademarks of Bayer. © 2020 Syngenta.